

KC-BRAINware-5

Hardware Platform with 5 Instances of Kramer BRAINware

| HDMI | Ethernet - RJ-45



KC-BRAINware-5 is a hardware platform with 5 instances of Kramer BRAINware software already installed on the device. KC-BRAINware-5 is designed to maximize the features and benefits of Kramer BRAINware for controlling up to 5 standard spaces (e.g. a standard space could include a scaler, monitor, lighting system, touch panel and keypad). Kramer BRAINware is an enterprise-class, revolutionary, user-friendly, software application that enables you to execute all your room control actions straight from a computer without installing a physical Brain between the user interface and the controlled devices. Using the power of Kramer Control cloud-based control & space management platform. Kramer BRAINware enables you to operate multiple devices over Ethernet such as scalers, video displays, audio amplifiers, Blu-ray players, sensors, screens, shades, door locks, and lights. Designing a system was never easier, with Kramer Control's programming free, intuitive drag & drop Builder. Install, configure and modify your control

system without any prior knowledge in programming

FEATURES

Simplified AV Installation - Control up to 5 rooms without installing a physical Brain Scalable to Your Installation - Supports controlling up to 5 standard spaces

Format Conversion - Use Kramer FC family of control format converters to enable controlling almost any device

Fully Customizable UI - Using Kramer Control, easily personalize your control interface any way you like

Space Controller - Controls any AV device with its corresponding logic

No Programming Required - Install and start using the platform in minutes with no need for programming



TECHNICAL SPECIFICATIONS

Ports 4 USB: On USB 3.0 connectors

1 LAN: On an RJ-45 connector

Outputs 1 HDMI: On a female HDMI connector

1 DisplayPort: On a female Mini DisplayPort connector

Note: Does not support graphic output to both the HDMI and Mini Display Port

simultaneously

1 Unbalanced Audio: On a 3.5mm mini jack for headphones/speakers

General Processor: 4th generation Intel® Dual core 1.4GHz

Main Memory: 4GB, high speed

Storage: 32GB, solid-state drive

LAN: Gigabit LAN

Audio Analog or embedded HDMI, S/PDIF Realtek ALC269:

Power Source: 19V DC

Consumption: 700mA

ACCESSORIES:

Accessories Included: Power cord, VESA mounting bracket

Environmental

Conditions

Operating Temperature 0° to +40°C (32° to 104°F)

Storage Temperature -40° to +70°C (-40° to 158°F)

Humidity 10% to 90%, RHL non-condensing

Product Dimensions 11.80cm x 11.50cm x 4.00cm (4.65" x 4.53" x 1.57") W, D, H

Product Weight 0.5kg (1.1lbs) approx

Shipping Dimensions 23.20cm x 13.60cm x 10.00cm (9.13" x 5.35" x 3.94") W, D, H

Shipping Weight 1.0kg (2.2lbs) approx



